Instrument: 5340 - Millstone Hill Fabry-Perot

Operating Modes:

5340/7001 - Tn Em vertical meas in zero vel ref

Parameters:

800 - vnlu - Line of sight neutral vel (pos = away)

810 - tn - Neutral temperature

1410 - vne - Direction 1 Neutral wind (eastward)

1420 - vnn - Direction 2 Neutral wind (northward)

2506 - rbrl - log10 (Relative line/band brightness)

Starting: May 04, 1992

Ending: May 13, 1992

These plots are produced for visual browsing of the data and should not
be used in publications without citing the data provider and CEDARWEB.


400
200
0
-200
-400
V(+Up) (m/s)
May 04
May 05
May 06
May 07
May 08
May 09
May 10
May 11
May 12
May 13
May 14


2500
2000
1500
1000
500
0
Tn (K)
May 04
May 05
May 06
May 07
May 08
May 09
May 10
May 11
May 12
May 13
May 14


400
200
0
-200
-400
V(EW) (m/s)
May 04
May 05
May 06
May 07
May 08
May 09
May 10
May 11
May 12
May 13
May 14


400
200
0
-200
-400
V(NS) (m/s)
May 04
May 05
May 06
May 07
May 08
May 09
May 10
May 11
May 12
May 13
May 14


Rel Brightness (lg)
10
8
6
4
2
0
May 04
May 05
May 06
May 07
May 08
May 09
May 10
May 11
May 12
May 13
May 14