Sat Mar 4 17:16:46 GMT 1995 Year: 95 Doy: 063 Observer: koon

WEATHER COMMENT: Sat Mar 4 17:16:51 GMT 1995 Clear sky, wind=30 mph from the WSW, temp=31 F, icy outside.

COMMENT: Sat Mar 4 17:21:11 GMT 1995

Many delays getting started: Sparcstation took a long time to log me in so I had to reboot it; Tek terminal wouldn't respond and had the CAPS LOCK key red light blinking so I cycled its power and rebooted the DEC; now I can't get into the dome because the lock won't release when I use the key, it probably needs lubrication, this may take a while.

Sat Mar 4 18:34:41 GMT 1995: Patrol Start

COMMENT: Sat Mar 4 18:34:51 GMT 1995 Finally got the dome door open, had to heat up the door knob with the heat gun. Ice was jamming it up inside. I'll try to figure out a way to prevent this from happening again.

Sat Mar 4 18:37:05 GMT 1995: Patrol End Sat Mar 4 18:37:45 GMT 1995: Patrol Start

DPMON COMMENT: Sat Mar 4 18:38:01 GMT 1995 Had an optical runaway, fixed it.

Sat Mar 4 19:01:55 GMT 1995: Calibration

COMMENT: Sat Mar 4 19:03:45 GMT 1995 Cut a drainage groove in the doorknob hole, if any water gets past the doorknob it will drain out instead of obstructing t he mechanism if it collects and freezes.

Sat Mar 4 20:01:53 GMT 1995: Calibration Sat Mar 4 21:02:01 GMT 1995: Calibration Sat Mar 4 22:01:55 GMT 1995: Calibration

COMMENT: Sat Mar 4 22:30:06 GMT 1995 Spar lost tracking due to slot shutter blocking sun, looks like its time to start fully opening the dome slot in the afternoons again. Reset everything.

Sat Mar 4 23:01:55 GMT 1995: Calibration Sat Mar 4 23:28:59 GMT 1995: Patrol End

COMMENT: Sat Mar 4 23:40:48 GMT 1995

Activity report: OP: 50; 74; 218; 244; 294. No coronal activitty. TAPES: * * * * * * MKIII: H00981 DPMON: P00299 LOW-L: L00192 in drive #0. Sat Mar 4 23:42:42 GMT 1995: Filemark SCAN-LOG SCAN-LOG 18:00:11. 3/4/95 DOY 63 18:41:56 18:45:09 18:48:24 18:51:37 18:54:51 18:58:03 19:01:17 19:04:28 19:07:41 19:10:53 19:14:06 19:17:18 19:20:31 1927 0 CL 19:32:41 1940 15CL 19:53:35 1958 0 CL 20:04:38 2009 15CL 20:13:52 20:17:32 20:20:44 20:23:55 20:27:06 20:30:19 20:33:29 20:36:45 20:39:57 20:43:09 20:46:20 20:49:31 20:52:42 20:55:54 20:59:05 21:02:17 21:05:29 21:08:44 21:11:55 21:15:07 21:18:18 21:21:31 21:24:43 21:27:57 21:31:09 21:34:21 21:37:33 21:40:46 21:43:57 21:47:10 21:50:21 21:53:33 21:56:46 22:00:05 22:03:15 22:06:27 22:09:38 22:12:51 22:16:03 22:19:16 22:22:27 22:25:46 22:29:00 22:32:14 22:35:26 22:38:38 22:41:49 22:45:01 22:48:12 22:51:23 22:54:36 22:57:47 23:00:58 23:04:10 23:07:21 23:10:32 23:13:43 23:16:54 23:20:04 23:23:15

0 ERRORS

23:26:25

OK