


DOY 68



SMM C/P 1980 DOY 68 230 +/- 0 degrees



tstart=DOY 68 20:35 +/- 0.0 [min.]
radial velocity= 879. +/- 0. [km/sec]

This is a 1 order run

INPUT:

year	doy	time	radii	error in radius	angle	error in angle	datatype
1980	68	21: 4:54	3.29	+/- 0.10	230.0	+/- 0.5	SMM
1980	68	21: 6:29	3.41	+/- 0.10	230.0	+/- 0.5	SMM

Structure being measured:

Top of Outer Cavity

OUTPUT:

START TIME:

Event began at $t = 0 + -0.253E+02 +/- 0.000E+00$ [minutes]

In more convenient units:

Event began at DOY 68 20:35 +/- 0.000E+00 [minutes]

Origin defined at DOY 68 21: 0

RADIAL INFORMATION:

RADIAL VELOCITY = 879. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.292E+01 +/- 0.122E-05 [solar radii]
c(2) = 0.758E-01 +/- 0.213E-06 [radii/min]
c(2) = 0.879E+03 +/- 0.247E-02 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 230. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 21: 4 = 0.000E+00 km/sec

The TOTAL velocity at 21: 4 = 879. km/sec

The TANGENTIAL velocity at 21: 6 = 0.000E+00 km/sec

The TOTAL velocity at 21: 6 = 879. km/sec

The following info is for estimating goodness of the fit

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!