


SMM C/P | 1984 DOY317 298 +/- 0 degrees

height = h + velocity\*time

# data points = 2



tstart=DOY317 12:38 +/- 0.0 [min.]

radial velocity= 398. +/- 0. [km/sec]

\*\*\*\*\*

This is a 1 order run

\*\*\*\*\*

\*\*\*\*\*

INPUT:

\*\*\*\*\*

year	doy	time	radii	radius	error in radii	angle	angle	error in angle	datatype
1984	317	13:43:24	3.30	+/- 0.20	298.0	+/- 1.0	SMM		
1984	317	13:52: 8	3.60	+/- 0.15	298.0	+/- 1.0	SMM		

\*\*\*\*\*

Structure being measured:

Top of Faint Loop

\*\*\*\*\*

\*\*\*\*\*

OUTPUT:

\*\*\*\*\*

START TIME:

Event began at t = 0 + -0.636E+02 +/- 0.000E+00 [minutes]

In more convenient units:

Event began at DOY 317 12:38 +/- 0.000E+00 [minutes]

Origin defined at DOY317 13:40

RADIAL INFORMATION:

RADIAL VELOCITY = 398. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.318E+01 +/- 0.399E-06 [solar radii]  
c(2) = 0.344E-01 +/- 0.402E-07 [radii/min]  
c(2) = 0.398E+03 +/- 0.467E-03 [km/sec]  
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min\*\*2]  
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec\*\*2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 298. +/- 0. [degrees]  
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]  
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]  
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min\*\*2]  
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec\*\*2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 13:43 = 0.000E+00 km/sec

The TOTAL velocity at 13:43 = 398. km/sec

The TANGENTIAL velocity at 13:52 = 0.000E+00 km/sec

The TOTAL velocity at 13:52 = 398. km/sec

\*\*\*\*\*

The following info is for estimating goodness of the fit

\*\*\*\*\*

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!