



SMM C/P 1984 DOY319 103 +/- 4 degrees




tstart=DOY318 16:34 +/- 6.6 [min.]
radial velocity= 31. +/- 2. [km/sec]

SMM C/P 1984 DOY319 103 +/- 4 degrees



tstart = DOY318 16:34 +/- 6.6 [min.]
angular velocity = $-.316E-05$ +/- $0.103E-05$ [rad/sec]

SMM C/P 1984 DOY319 103 +/- 4 degrees




tstart=DOY318 12:13 from derivative=0
Event begins at 1.53 Solar Radii
radial acceleration = 0.0005 ± 0.0004 [km/sec**2]

SMM C/P 1984 DOY319 103 +/- 4 degrees


angle = initial angle + angular velocity*time
+ 1/2 angular acceleration*time**2

data points = 5



tstart=DOY318 12:13 from derivative=0
angular acceleration = -.428E-09 +/- 0.689E-10 [rad/sec**2]

SMM C/P 1984 DOY319 103 +/- 4 degrees




DOY319
tstart=DOY318 12:13 from derivative=0
Event begins at 1.53 Solar Radii
radial acceleration=0.544E-03 km/sec**2

SMM C/P 1984 DOY319 103 +/- 4 degrees

$$\text{angle} = \text{initial angle} + \text{angular velocity} * \text{time} + \frac{1}{2} \text{angular acceleration} * \text{time} ** 2$$

data points = 5



DOY319

tstart=DOY318 12:13 from derivative=0
angular acceleration=-.428E-09 +/-
0.689E-10 [rad/sec**2]

This is a 1 order run

INPUT:

year	doy	time	radii	radius	angle	error in angle	error in	datatype
1984	319	0:23:19	2.30 +/-	0.10	105.0 +/-	0.5		SMM
1984	319	1:57:19	2.45 +/-	0.10	105.0 +/-	0.5		SMM
1984	319	3:41:38	2.80 +/-	0.15	105.0 +/-	0.5		SMM
1984	319	6:41:19	3.27 +/-	0.20	101.0 +/-	1.0		SMM
1984	319	8:15:19	3.55 +/-	0.20	99.0 +/-	1.0		SMM

Structure being measured:
Top of Cavity (subtractions)

OUTPUT:

START TIME:

Event began at t = 0 + -0.448E+03 +/- 0.655E+01 [minutes]
In more convenient units:
Event began at DOY 318 16:34 +/- 0.655E+01 [minutes]

Origin defined at DOY319 0: 0

RADIAL INFORMATION:

RADIAL VELOCITY = 31. +/- 2. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.219E+01 +/- 0.317E-01 [solar radii]
c(2) = 0.267E-02 +/- 0.146E-03 [radii/min]
c(2) = 0.310E+02 +/- 0.170E+01 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

The computed ERRORS in coefficients [BEVINGTON] are:

error in c(1)= 0.36479E-01 [radii] see Bevington pg. 114
error in c(2)= 0.11900E-03 [radii/min] see Bevington pg. 114

ANGULAR INFORMATION:

ANGULAR VELOCITY = -0.3160E-05 +/- 0.1028E-05 [radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 106. +/- 1. [degrees]
a(2) = -0.109E-01 +/- 0.353E-02 [degrees/min]
a(2) = -0.316E-05 +/- 0.103E-05 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

The RADIAL velocity at 0:23 = 31. km/sec

The RADIAL velocity at 1:57 = 31. km/sec

The RADIAL velocity at 3:41 = 31. km/sec

The RADIAL velocity at 6:41 = 31. km/sec

The RADIAL velocity at 8:15 = 31. km/sec

The following info is for estimating goodness of the fit

Fit is ok [ier=1]

Standard Deviation in the height = 0.53
Standard Deviation in start time measurement = 0.175E+03
Error in time = 0.30193E+02 using best fit method
See Taylor Error Analysis [Univ of Colorado] pg.78

Value of reduced Chi Squared returned from nllst2 = 0.236E-02
Reduced Chi Squared = 0.488E-02
Chi Squared = 0.146E-01
The probability for exceeding chi square = 0.100E+01

The correlation coefficient = 0.997E+00
The probability that no LINEAR correlation exists between the variables = 0.1644
SEE BEVINGTON "Data Reduction and Error Analysis" [1969]

This is a 2 order run

INPUT:

year	doy	time	radii	radius	angle	error in angle	error in angle	datatype
1984	319	0:23:19	2.30 +/-	0.10	105.0 +/-	0.5		SMM
1984	319	1:57:19	2.45 +/-	0.10	105.0 +/-	0.5		SMM
1984	319	3:41:38	2.80 +/-	0.15	105.0 +/-	0.5		SMM
1984	319	6:41:19	3.27 +/-	0.20	101.0 +/-	1.0		SMM
1984	319	8:15:19	3.55 +/-	0.20	99.0 +/-	1.0		SMM

Structure being measured:
Top of Cavity (subtractions)

OUTPUT:

START TIME:

tstart=DOY318 12:13 from derivative = 0
Event begins at 1.53 Solar Radii
Origin defined at DOY319 0: 0

RADIAL INFORMATION:

RADIAL ACCELERATION = 0.544E-03 +/- 0.361E-03 km/sec**2

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.224E+01 +/- 0.388E-01 [solar radii]
c(2) = 0.199E-02 +/- 0.469E-03 [radii/min]
c(2) = 0.231E+02 +/- 0.544E+01 [km/sec]
c(3) = 0.141E-05 +/- 0.934E-06 [radii/min**2]
c(3) = 0.544E-03 +/- 0.361E-03 [km/sec**2]

The computed ERRORS in coefficients [BEVINGTON] are:

Approximate error in c(1) = 0.56196E-01 [radii] Bevington pg 154 (8-30)
Exact error in c(1) = 0.13427E-01 [radii] Bevington pg 154 (8-28)
Approximate error in c(2) = 0.56324E-03 [radii/min] Bevington pg 154 (8-30)
Exact error in c(2) = 0.14869E-03 [radii/min] Bevington pg 154 (8-28)
Approximate error in c(3) = 0.10429E-05 [radii/min**2] Bevington pg 154 (8-30)
Exact error in c(3) = 0.30157E-06 [radii/min**2] Bevington pg 154 (8-28)

ANGULAR INFORMATION:

ANGULAR ACCELERATION= -0.4282E-09 +/- 0.6892E-10[radians/sec**2]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 105. +/- 0. [degrees]
a(2) = 0.991E-02 +/- 0.352E-02 [degrees/min]
a(2) = 0.288E-05 +/- 0.102E-05 [rad/sec]
a(3) = -0.442E-04 +/- 0.711E-05 [degrees/min**2]
a(3) = -0.428E-09 +/- 0.689E-10 [rad/sec**2]

The RADIAL velocity at 0:23 = 24. km/sec

The RADIAL velocity at 1:57 = 27. km/sec
The RADIAL velocity at 3:41 = 30. km/sec
The RADIAL velocity at 6:41 = 36. km/sec
The RADIAL velocity at 8:15 = 39. km/sec

The following info is for estimating goodness of the fit

Fit is ok [ier=1]


Standard Deviation in the height = 0.53
Standard Deviation in start time measurement = 0.175E+03
Value of reduced Chi Squared returned from nllst2 = 0.179E-02
Reduced Chi Squared = 0.685E-02
Chi Squared = 0.137E-01
The probability for exceeding chi square = 0.998E+00

For a second order fit 3 correlation coefficients are given:

(Using equation of motion: $r = a + bt + at^2$)


The correlation between the data and the term linear in time = 0.1002E+01
The correlation between the data and the time**2 term = 0.9181E+00
The correlation between the data and the complete equation of motion=0.9897E+00
SEE BEVINGTON "Data Reduction and Error Analysis" [1969]

SMM C/P 1984 DOY319 105 +/- 0 degrees




tstart=DOY319 5:24 +/- 9.3 [min.]
radial velocity= 57. +/- 5. [km/sec]

SMM C/P 1984 DOY319 105 +/- 0 degrees



tstart=DOY319 5.12 from derivative=0
Event begins at 1.64 Solar Radii
radial acceleration = 0.0029 +/- 0.0000 [km/sec**2]

SMM C/P 1984 DOY319 105 +/- 0 degrees



DOY319 tstart=DOY319 5:12 from derivative=0
Event begins at 1.64 Solar Radii
radial acceleration=0.294E-02 km/sec**2

This is a 1 order run

INPUT:

year	day	time	radii	error in radius	angle	error in angle	datatype
1984	319	8:15:19	1.90	+/- 0.20	105.0	+/- 0.5	SMM
1984	319	11:24:20	2.70	+/- 0.15	105.0	+/- 0.5	SMM
1984	319	12:58:19	3.30	+/- 0.15	105.0	+/- 1.0	SMM

Structure being measured:
Back of [Disconnection?] in Core

OUTPUT:

START TIME:

Event began at $t = 0 + -0.158E+03 +/- 0.931E+01$ [minutes]
In more convenient units:
Event began at DOY 319 5:24 +/- 0.931E+01 [minutes]

Origin defined at DOY319 8: 0

RADIAL INFORMATION:

RADIAL VELOCITY = 57. +/- 5. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

- c(1) = 0.178E+01 +/- 0.991E-01 [solar radii]
- c(2) = 0.492E-02 +/- 0.439E-03 [radii/min]
- c(2) = 0.571E+02 +/- 0.509E+01 [km/sec]
- c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
- c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

The computed ERRORS in coefficients [BEVINGTON] are:

- error in c(1)= 0.11295E+00 [radii] see Bevington pg. 114
- error in c(2)= 0.54054E-03 [radii/min] see Bevington pg. 114

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 105. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 8:15 = 0.000E+00 km/sec

The TOTAL velocity at 8:15 = 57. km/sec

The TANGENTIAL velocity at 11:24 = 0.000E+00 km/sec

The TOTAL velocity at 11:24 = 57. km/sec

The TANGENTIAL velocity at 12:58 = 0.000E+00 km/sec

The TOTAL velocity at 12:58 = 57. km/sec

The following info is for estimating goodness of the fit

Fit is ok [ier=1]

Standard Deviation in the height = 0.70

Standard Deviation in start time measurement = 0.118E+03

Error in time = 0.22375E+02 using best fit method

See Taylor Error Analysis [Univ of Colorado] pg.78

Value of reduced Chi Squared returned from nllst2 = 0.650E-02

Reduced Chi Squared = 0.249E-01

Chi Squared = 0.249E-01

The probability for exceeding chi square = 0.936E+00

The correlation coefficient = 0.994E+00

The probability that no LINEAR correlation exists between the variables = 0.6953E-01

SEE BEVINGTON "Data Reduction and Error Analysis" [1969]

This is a 2 order run

INPUT:

year	doy	time	radii	error in radius	angle	error in angle	datatype
1984	319	8:15:19	1.90	+/- 0.20	105.0	+/- 0.5	SMM
1984	319	11:24:20	2.70	+/- 0.15	105.0	+/- 0.5	SMM
1984	319	12:58:19	3.30	+/- 0.15	105.0	+/- 1.0	SMM

Structure being measured:
Back of [Disconnection?] in Core

OUTPUT:

START TIME:

tstart=DOY319 5:12 from derivative = 0
Event begins at 1.64 Solar Radii
Origin defined at DOY319 8: 0

RADIAL INFORMATION:

RADIAL ACCELERATION = 0.294E-02 +/- 0.101E-06 km/sec**2

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.186E+01 +/- 0.559E-05 [solar radii]
c(2) = 0.256E-02 +/- 0.837E-07 [radii/min]
c(2) = 0.297E+02 +/- 0.971E-03 [km/sec]
c(3) = 0.760E-05 +/- 0.261E-09 [radii/min**2]
c(3) = 0.294E-02 +/- 0.101E-06 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR ACCELERATION= 0.0000E+00 +/- 0.0000E+00[radians/sec**2]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 105. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 8:15 = 0.000E+00 km/sec

The TOTAL velocity at 8:15 = 32. km/sec

The TANGENTIAL velocity at 11:24 = 0.000E+00 km/sec

The TOTAL velocity at 11:24 = 66. km/sec

The TANGENTIAL velocity at 12:58 = 0.000E+00 km/sec

The TOTAL velocity at 12:58 = 82. km/sec

The following info is for estimating goodness of the fit

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!