


SMM C/P 1985 DOY198 289 +/- 0 degrees



tstart=DOY198 3:31 +/- 0.0 [min.]
radial velocity= 1195. +/- 0. [km/sec]

This is a 1 order run

INPUT:

year	day	time	radii	error in radius	angle	error in angle	datatype
1985	198	3:41:45	2.15	+/- 0.10	289.0	+/- 0.5	SMM
1985	198	3:50:29	3.05	+/- 0.10	289.0	+/- 1.0	SMM

Structure being measured:

Sharp Northern Loop [NOT Leading Edge]

OUTPUT:

START TIME:

Event began at $t = 0 + -0.941E+01 +/- 0.000E+00$ [minutes]

In more convenient units:

Event began at DOY 198 3:31 +/- 0.000E+00 [minutes]

Origin defined at DOY198 3:40

RADIAL INFORMATION:

RADIAL VELOCITY = 1195. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.197E+01 +/- 0.290E-06 [solar radii]
c(2) = 0.103E+00 +/- 0.386E-07 [radii/min]
c(2) = 0.120E+04 +/- 0.448E-03 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 289. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 3:41 = 0.000E+00 km/sec

The TOTAL velocity at 3:41 = 1195. km/sec

The TANGENTIAL velocity at 3:50 = 0.000E+00 km/sec

The TOTAL velocity at 3:50 = 1195. km/sec

The following info is for estimating goodness of the fit


Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!

SMM C/P 1985 DOY198 285 +/- 0 degrees

height = h + velocity*time

data points = 2



tstart=DOY198 3:33 +/- 0.0 [min.]
radial velocity= 1129. +/- 0. [km/sec]

This is a 1 order run

INPUT:

year	day	time	radii	error in radius	angle	error in angle	datatype
1985	198	3:41:45	1.90	+/- 0.10	285.0	+/- 0.5	SMM
1985	198	3:50:29	2.75	+/- 0.10	285.0	+/- 0.5	SMM

Structure being measured:

Top of Sharp Northern Cavity

OUTPUT:

START TIME:

Event began at $t = 0 + -0.750E+01 +/- 0.000E+00$ [minutes]

In more convenient units:

Event began at DOY 198 3:33 +/- 0.000E+00 [minutes]

Origin defined at DOY198 3:40

RADIAL INFORMATION:

RADIAL VELOCITY = 1129. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.173E+01 +/- 0.000E+00 [solar radii]
c(2) = 0.973E-01 +/- 0.000E+00 [radii/min]
c(2) = 0.113E+04 +/- 0.000E+00 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 285. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 3:41 = 0.000E+00 km/sec

The TOTAL velocity at 3:41 = 1129. km/sec

The TANGENTIAL velocity at 3:50 = 0.000E+00 km/sec

The TOTAL velocity at 3:50 = 1129. km/sec

The following info is for estimating goodness of the fit

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!