


SMM C/P 1987 DOY310 110 +/- 0 degrees



This is a 1 order run

INPUT:

year	doy	time	radii	radius	error in	angle	error in	datatype
1987	310	8:47:52	3.30	+/- 0.15	110.0	+/- 1.0	SMM	
1987	310	9:20:53	3.50	+/- 0.15	110.0	+/- 1.0	SMM	

Structure being measured:

Top of Fuzzy Cavity

OUTPUT:

START TIME:

Event began at t = 0 + -0.372E+03 +/- 0.000E+00 [minutes]

In more convenient units:

Event began at DOY 310 2:30 +/- 0.000E+00 [minutes]

Origin defined at DOY310 8:40

RADIAL INFORMATION:

RADIAL VELOCITY = 70. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.325E+01 +/- 0.000E+00 [solar radii]
c(2) = 0.606E-02 +/- 0.000E+00 [radii/min]
c(2) = 0.703E+02 +/- 0.000E+00 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 110. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 8:47 = 0.000E+00 km/sec

The TOTAL velocity at 8:47 = 70. km/sec

The TANGENTIAL velocity at 9:20 = 0.000E+00 km/sec

The TOTAL velocity at 9:20 = 70. km/sec

The following info is for estimating goodness of the fit

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!