


SMM C/P 1988 DOY207 290 +/- 0 degrees



tstart=DOY207 6: 3 +/- 0.0 [min.]  
radial velocity= 281. +/- 0. [km/sec]

\*\*\*\*\*

This is a 1 order run

\*\*\*\*\*

\*\*\*\*\*

INPUT:

\*\*\*\*\*

year	doy	time	radii	error in radius	error in angle	angle	datatype
1988	207	7:48:19	3.60	+/- 0.10	290.0	+/- 1.0	SMM
1988	207	8:21:19	4.40	+/- 0.10	290.0	+/- 1.0	SMM

\*\*\*\*\*

Structure being measured:

Top of Cavity

\*\*\*\*\*

\*\*\*\*\*

OUTPUT:

\*\*\*\*\*

START TIME:

Event began at  $t = 0 + -0.989E+02 +/- 0.000E+00$  [minutes]

In more convenient units:

Event began at DOY 207 6: 3 +/- 0.000E+00 [minutes]

Origin defined at DOY207 7:40

RADIAL INFORMATION:

RADIAL VELOCITY = 281. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.340E+01 +/- 0.000E+00 [solar radii]

c(2) = 0.242E-01 +/- 0.000E+00 [radii/min]

c(2) = 0.281E+03 +/- 0.000E+00 [km/sec]

c(3) = 0.000E+00 +/- 0.000E+00 [radii/min\*\*2]

c(3) = 0.000E+00 +/- 0.000E+00 [km/sec\*\*2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 290. +/- 0. [degrees]

a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]

a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]

a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min\*\*2]

a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec\*\*2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 7:48 = 0. km/sec

The TOTAL velocity at 7:48 = 281. km/sec

The TANGENTIAL velocity at 8:21 = 0. km/sec

The TOTAL velocity at 8:21 = 281. km/sec

\*\*\*\*\*

The following info is for estimating goodness of the fit

\*\*\*\*\*

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!