


SMM C/P 1988 DOY364 80 +/- 0 degrees



This is a 1 order run

INPUT:

| year | doy | time | radii | radius | error in angle | error in angle | datatype |
|------|-----|----------|-------|----------|----------------|----------------|----------|
| 1988 | 364 | 11:58:13 | 2.35 | +/- 0.15 | 80.0 | +/- 0.5 | SMM |
| 1988 | 364 | 12:22:59 | 3.50 | +/- 0.20 | 80.0 | +/- 1.0 | SMM |

Structure being measured:

Top of Mound

OUTPUT:

START TIME:

Event began at t = 0 + -0.209E+02 +/- 0.000E+00 [minutes]

In more convenient units:

Event began at DOY 364 11:31 +/- 0.000E+00 [minutes]

Origin defined at DOY364 11:50

RADIAL INFORMATION:

RADIAL VELOCITY = 539. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.197E+01 +/- 0.000E+00 [solar radii]
c(2) = 0.464E-01 +/- 0.000E+00 [radii/min]
c(2) = 0.539E+03 +/- 0.000E+00 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 80. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 11:58 = 0. km/sec

The TOTAL velocity at 11:58 = 539. km/sec

The TANGENTIAL velocity at 12:22 = 0. km/sec

The TOTAL velocity at 12:22 = 539. km/sec

The following info is for estimating goodness of the fit

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!