



SMM C/P 1989 DOY 9 325 +/- 0 degrees



tstart=DOY 9 13: 0 +/- 0.0 [min.]
radial velocity= 737. +/- 0. [km/sec]

1989 Day 009

XRAY and OPTICAL DATA TOGETHER STOP Met. BEGIN: 09 JAN 89



09/1200

MAX
X-rays
~ 14:00

09/1800

09/1800

SAA's
NIGHT

GOES-7 1 MIN DATA: OPTICAL FLARE DUR. IMP. REGION

RUN: 1755UT
15 JAN 89

This is a 1 order run

INPUT:

year	day	time	radii	error in radius	angle	error in angle	datatype
1989	9	13:21:36	2.40	+/- 0.10	325.0	+/- 0.5	SMM
1989	9	13:38: 8	3.45	+/- 0.10	325.0	+/- 0.5	SMM

Structure being measured:
Top of Loop

OUTPUT:

START TIME:

Event began at t = 0 + -0.104E+02 +/- 0.000E+00 [minutes]

In more convenient units:

Event began at DOY 9 13:00 +/- 0.000E+00 [minutes]

Event began at DOY 9 13: 0 +/- 0.000E+00 [minutes]

Origin defined at DOY 9 13:10

RADIAL INFORMATION:

RADIAL VELOCITY = 737. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.166E+01 +/- 0.000E+00 [solar radii]
c(2) = 0.635E-01 +/- 0.000E+00 [radii/min]
c(2) = 0.737E+03 +/- 0.000E+00 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 325. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]

a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 13:21 = 0. km/sec

The TOTAL velocity at 13:21 = 737. km/sec

The TANGENTIAL velocity at 13:38 = 0. km/sec

The TOTAL velocity at 13:38 = 737. km/sec

The following info is for estimating goodness of the fit

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!