



SMM C/P 1989 DOY139 305 +/- 0 degrees



1989 Day 139

Top of Fuzzy Front
measured @ 305° , [$16:48$] 1st order only



GOES-7 1 MIN DATA: OPTICAL FLARE DUR. IMP. REGION

SAA's NIGHT
RUN: 1900UT
12 MAY 89

This is a 1 order run

INPUT:

year	doy	time	radii	radius	error in	error in	angle	angle	datatype
1989	139	17:44:14	2.05	+/- 0.15	305.0	+/- 0.5	SMM		
1989	139	18: 9: 2	2.50	+/- 0.15	305.0	+/- 0.5	SMM		

Structure being measured:

Top of Fuzzy Front Loop?

OUTPUT:

START TIME:

Event began at t = 0 + -0.536E+02 +/- 0.000E+00 [minutes]

In more convenient units:

Event began at DOY 139 16:48 +/- 0.000E+00 [minutes]

Origin defined at DOY139 17:40

RADIAL INFORMATION:

RADIAL VELOCITY = 210. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.197E+01 +/- 0.798E-06 [solar radii]
c(2) = 0.181E-01 +/- 0.385E-07 [radii/min]
c(2) = 0.210E+03 +/- 0.446E-03 [km/sec]
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min**2]
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec**2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 305. +/- 0. [degrees]
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min**2]
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec**2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 17:44 = 0. km/sec

The TOTAL velocity at 17:44 = 210. km/sec

The TANGENTIAL velocity at 18: 9 = 0. km/sec

The TOTAL velocity at 18: 9 = 210. km/sec

The following info is for estimating goodness of the fit

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!