


SMM C/P 1989 DOY169 261 +/- 0 degrees



1989 Day 168


9

Top of Mand center = 261°  
[8:32] S1 over w/

STOP  
Re...

BEGIN: 18 JUN 89

... and OPTICAL DATA TOGETHER



SAA's  
NIGHT

GOES-7 1 MIN DATA; OPTICAL FLARE DUR. IMP. REGION

RHC: 1918UT  
15 JUN 89

\*\*\*\*\*

This is a 1 order run

\*\*\*\*\*

\*\*\*\*\*

INPUT:

\*\*\*\*\*

year	doy	time	radii	radius	error in radii	error in radius	angle	angle	datatype
1989	169	9:13:21	2.00	+/- 0.10	261.0	+/- 0.5	SMM		
1989	169	9:21:42	2.20	+/- 0.10	261.0	+/- 0.5	SMM		

\*\*\*\*\*

Structure being measured:

Top of Mound

\*\*\*\*\*

\*\*\*\*\*

OUTPUT:

\*\*\*\*\*

START TIME:

Event began at t = 0 + -0.284E+02 +/- 0.000E+00 [minutes]

In more convenient units:

Event began at DOY 169 8:32 +/- 0.000E+00 [minutes]

Origin defined at DOY169 9: 0

RADIAL INFORMATION:

RADIAL VELOCITY = 278. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.168E+01 +/- 0.727E-06 [solar radii]  
c(2) = 0.240E-01 +/- 0.404E-07 [radii/min]  
c(2) = 0.278E+03 +/- 0.468E-03 [km/sec]  
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min\*\*2]  
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec\*\*2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 261. +/- 0. [degrees]  
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]  
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]  
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min\*\*2]  
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec\*\*2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 9:13 = 0. km/sec

The TOTAL velocity at 9:13 = 278. km/sec

The TANGENTIAL velocity at 9:21 = 0. km/sec

The TOTAL velocity at 9:21 = 278. km/sec

\*\*\*\*\*

The following info is for estimating goodness of the fit

\*\*\*\*\*

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!