


SMM C/P 1989 DOY180 323 +/- 0 degrees



tstart=DOY180 21:14 +/- 0.0 [min.]  
radial velocity= 1373. +/- 0. [km/sec]



\*\*\*\*\*  
This is a 1 order run  
\*\*\*\*\*

\*\*\*\*\*  
INPUT:  
\*\*\*\*\*

year	doy	time	radii	error in radius	angle	error in angle	datatype
1989	180	21:29:58	2.90	+/- 0.10	323.0	+/- 0.5	SMM
1989	180	21:38:25	3.90	+/- 0.10	323.0	+/- 1.0	SMM

\*\*\*\*\*  
Structure being measured:  
Southern Edge of Inner Cavity  
\*\*\*\*\*

\*\*\*\*\*  
OUTPUT:  
\*\*\*\*\*

START TIME:

Event began at  $t = 0 + -0.609E+01 +/- 0.000E+00$  [minutes]  
In more convenient units:  
Event began at DOY 180 21:14 +/- 0.000E+00 [minutes]

Origin defined at DOY180 21:20

RADIAL INFORMATION:

RADIAL VELOCITY = 1373. +/- 0. km/sec

The computed RADIAL coefficients and errors FROM NLLST2 are:

c(1) = 0.172E+01 +/- 0.000E+00 [solar radii]  
c(2) = 0.118E+00 +/- 0.000E+00 [radii/min]  
c(2) = 0.137E+04 +/- 0.000E+00 [km/sec]  
c(3) = 0.000E+00 +/- 0.000E+00 [radii/min\*\*2]  
c(3) = 0.000E+00 +/- 0.000E+00 [km/sec\*\*2]

ANGULAR INFORMATION:

ANGULAR VELOCITY = 0.0000E+00 +/- 0.0000E+00[radians/sec]

The computed ANGULAR coefficients and errors FROM NLLST2 are:

a(1) = 323. +/- 0. [degrees]  
a(2) = 0.000E+00 +/- 0.000E+00 [degrees/min]  
a(2) = 0.000E+00 +/- 0.000E+00 [rad/sec]  
a(3) = 0.000E+00 +/- 0.000E+00 [degrees/min\*\*2]  
a(3) = 0.000E+00 +/- 0.000E+00 [rad/sec\*\*2]

THE TANGENTIAL AND TOTAL VELOCITIES AT EACH DATA POINT ARE:

The TANGENTIAL velocity at 21:29 = 0. km/sec

The TOTAL velocity at 21:29 = 1373. km/sec

The TANGENTIAL velocity at 21:38 = 0. km/sec

The TOTAL velocity at 21:38 = 1373. km/sec

\*\*\*\*\*

The following info is for estimating goodness of the fit

\*\*\*\*\*

Number data points = number of coefficients. No error analysis is possible.

Correlation coefficient is not computable!