The Mauna Loa Solar Observatory



MLSO User Committee Meeting

April 22, 2014







Science Goals

Understand how changes in the Sun's magnetic field drive solar activity and create space weather at Earth

Establish how the coronal magnetic field responds to emerging magnetic flux, plasma flows and large scale motions

Determine solar cycle variations of magnetic field and solar outputs



At Left: CoMP observations of coronal plasma and magnetic field properties provided on MLSO web page

Instruments at Mauna Loa



CoMP: Fe-XIII 1074.7 and 1079.8 nm and He-I 1083.0 nm full Stokes I,Q,U,V polarization



COSMO K-Coronagraph: Linear polarization in white light. Dec 9, 2013 composite image of K-Cor with SDO AIA Helium-I 30.4 nm image.

HAO operates 4 instruments at MLSO: CoMP, K-Cor, PSPT and GONG. HAO is responsible for the data processing and data products for CoMP and K-Cor; Mark Rast at University of Colorado processes and manages all PSPT data and the GONG group processes and manages all GONG data processing and products.



Precision Solar Photometric Telescope (PSPT): Left: CallK line center; Right: Blue continuum at 409.4 nm



GONG H-alpha: Neutral hydrogen emission at 656.3 nm. Owned by NSO; maintained by HAO.

Status of Coronal Multi-Channel Polarimeter

Instrument is fully operational Data Products: FeXIII: 1074.7 and 1079.8 nm

~1 Minute Time Resolution:

'Dynamics' Products:' Intensity Enhanced Intensity Corrected LOS velocity Line Width 'Polarization' Products: Intensity Enhanced Intensity Stokes 'U' Stokes 'U' Total Linear Polarization **PLUS:** 'Dashboard' images (shown below), consisting of eight quantities made from best avg. images of the day



Coming later in 2014: HAO purchasing new camera that will eliminate need for Liquid nitrogen cooling. HAO has a proposal out to NSF for funds for a second camera. If approved, the second camera would improve spatial resolution and increase the field-of-view.

Status of PSPT: Jerry Harder has provided slides



At Left: Lisa Waters and Brandon Larson installing K-Cor at MLSO

What's New at MLSO

- COSMO K- Coronagraph
- Community Observing Campaigns (mostly CoMP)
- Community Forward Modeling Tools utilizing MLSO, SDO, and other data
- 2 New Casual Observers: Lisa Waters, Greg Rose
- New web page launched February 2014
- COSMO Chro-Mag coming to MLSO ~Dec 2014

Status: COSMO K-coronagraph (K-Cor)

K-Cor performance meets design requirements of recording the white light (WL) corona down to 1.05 R_{\odot} ; lowest WL FOV outside of eclipse



Above: K-Cor at MLSO



'diffraction' pattern artifacts

Installed at MLSO September 2013

Have begun providing qualitative data on web page

Calibrated data coming later this year: Need to complete analysis of demodulation results and sky polarization removal.

Diffraction pattern artifacts (image at left) may be in or near area of objective lens; will install spare lens in June. Lyot stop may be misaligned. Full realignment of optics in June.



Above: K-cor movie of Feb 11, 2014 CME

New MLSO Web Page



LATEST MLSO IMAGES



CoMP 1074nm Intensity 05-Apr-2014 Movie: Full Res Get Data

PSPT Callk



CaIIk (393 nm) 05-Apr-2014 Get Data



04-Apr-2014 Movie: Low Res Get Data

PSPT Blue



Blue (408-412 nm) 05-Apr-2014 Get Data

GONG H-alpha

H-Alpha Disk/Limb Full-Resolution FITS Movies: All|Every 4th img GONG H-alpha Network

PSPT Red



Red (605-610 nm) 05-Apr-2014 Get Data

- MLSO MLSO Home Page
- < Data & Movies
- Solar Activity Logs
- Gallery
- Instruments
- About MLSO
- Related Sites
- Contact Us

UPCOMING HAO EVENTS

- View as: calendar | table
- HAO Colloquium Series presents Bette Otto-Bliesner, NCAR/CGD Wednesday, April 16, 2014

 1:30pm to 2:30pm
- HAO Colloquium Series presents Cora Randall, University of Colorado Wednesday, April 23, 2014
 1:30em to 2:30em
- 2014 CISM Summer School Monday, July 21, 2014 -8:00am to Friday, August 1,

K-Cor data now becoming available

Updated Instrument pages

Updated News Items

More information about MLSO

New Forward Modeling / Data tools

HAO-led development effort of a community tool to compare PFSS and MHD models of solar corona to **MLSO CoMP,** SDO AIA and other data. Contributors: Sarah Gibson, Blake Forland, Jim Dove, Terry Kucera, Phil Judge, Enrico Landi

http://www2.hao.ucar.edu/mlso/news/forward



Tool can also be downloaded from MLSO web page under Data and Movies: Emission Corona FeXIII OR Data and Movies: More Products OR MLSO News

Community Observing Campaign Highlights with CoMP Instrument

2014: Increased acquisition of FeXIII at 1079.8 nm to study CME shock compression ratios

Requested by: Hui Tian, Harvard Smithsonian Ctr for Astrophysics and Yao Chen, Shandong University Center for Space Weather Studies

2013: Increased doppler observations to study evolution of coronal cavities and eruption of prominences and CMEs.

Requested by: Alphonse Sterling, NASA Marshall Space Flight Center and Tim Bastian, University of Virginia and NRAO

2013: Varied observations of circular polarization and FeXIII 1079.8 to study properties of coronal magnetic field

Requested by: Enrico Landi, University of Michigan, Bernhard Kleim, University of Potsdam, Terry Kucera, NASA Goddard Space Flight Center, Kathy Reeves, Harvard Smithsonian Ctr for Astrophysics.

Community Requests for K-Cor

2014: Acquire 8-second time cadence to identify flares with steepening hard-Xray production associated with CME-shock generated solar energetic proton events (SEPs) **Requested by**: Alan Kiplinger, University of Colorado Boulder

2014: Provided successful K-Cor bandpass rejection design and specifications to SCORE coronagraph team.

2016: Joint campaign with SCORE coronagraph on NRL sounding rocket flight

Requested by: Silvano Fineschi, National Institute for Astrophysics, Torino

New Community Observing Campaign Web Page

SPECIAL MLSO OBSERVING CAMPAIGNS

Currently, MLSO has three instruments in operation - CoMP, K-Cor, and PSPT. Each one has different modes of operation that may aid in specific investigations. CoMP is the most flexible and has accepted special campaign requests. HAO encourages special observation requests to maximize scientific discovery for the solar and heliospheric community.



EXAMPLES OF SPECIAL OBSERVATION REQUESTS

Here are some examples of the type of requests that MLSO has received in the past:

CoMP Campaign Highlights

2014: Increased acquisition of FeXIII at 1079.8 nm to study CME shock compression ratios Requested by: Hui Tian, Harvard Smithsonian Ctr for Astrophysics and Yao Chen, Shandong University Center for Space Weather Studies

2013: Increased doppler observations to study evolution of coronal cavities and eruption of prominences and CMEs. Requested by: Alphonse Sterling, NASA Marshall Space Flight Center and Tim Bastian, University of Virginia and NRAO.

more examples >>

APPLYING FOR OBSERVATION TIME

To apply for an observing campaign with one of MLSO's instrument, please fill out the:

MLSO Special Observation Request form.

Campaign requests will be reviewed and implemented as resources allow. Special observing campaigns will be executed by MLSO observers and instrument scientists. On-site presence of requester is not necessary due to remoteness of site and compliance with NOAA observational requirements.

MLSO SPECIAL OBSERVATION REQUEST

Science Goal *	
-Requester's Contac	Info
Name (last, first)	
The name of the prima	ry requester.
Institution or orga	nization *
Name of the primary re	quester's institution or organization.
email address *	
cillul ddd C33	
Campaign/plannin	g web page
URL for a web page co	ntaining info about the intended use of these observations (optional).
Pre-defined Recipe Doppler (Intensi Alfven Waves (I.	rs y measurements with cadence as short as two seconds.) O, U with 30 seconds or longer cadence.)
Pre-defined Recipe Doppler (Intensi Alfven Waves (I, Density (Intensi Total Field (Full S	rs y measurements with cadence as short as two seconds.) Q, U with 30 seconds or longer cadence.) y of 1074.7nm and 1079.8nm lines with a few minutes or longer cadence.) itokes I, Q, U, V; Provides LOS, field strength, and POS field azimuth and polarization)
Pre-defined Recipe Doppler (Intensi Alfven Waves (I, Density (Intensi Total Field (Full S Choose desired lin EXVIII 1074 7mm	er values
Pre-defined Recipe Doppler (Intensi Alfven Waves (I, Density (Intensit Total Field (Full s Choose desired lin FeXIII 1074.7nm FeXIII 1074.8nm	Ps we watch is a short as two seconds.) Q, U with 30 seconds or longer cadence.) y of 1074.7nm and 1079.8nm lines with a few minutes or longer cadence.) itokes I, Q, U, V; Provides LOS, field strength, and POS field azimuth and polarization) es for above recipes
Pre-defined Recip Doppler (Intensi Alfven Waves (I, Density (Intensit Total Field (Full S Choose desired lin FeXIII 1074.7nm FeXIII 1079.8nm He-T 1083.0nm	ervations S Cy measurements with cadence as short as two seconds.) Q, U with 30 seconds or longer cadence.) y of 1074.7nm and 1079.8nm lines with a few minutes or longer cadence.) itokes I, Q, U, V; Provides LOS, field strength, and POS field azimuth and polarization) es for above recipes
Pre-defined Recip Doppler (Intensi Alfven Waves (I, Density (Intensit Total Field (Full S Choose desired lin FeXIII 1074.7nm FeXIII 1079.8nm He-I 1083.0nm You may select one, tw	Ps with a second solution of the second s
Pre-defined Recip Doppler (Intensi Alfven Waves (I, Density (Intensi Total Field (Full S Choose desired lin FeXIII 1074.7nm FeXIII 1079.8nm He-I 1083.0nm You may select one, tw Cuistom campaign	Providents with cadence as short as two seconds.) Q, U with 30 seconds or longer cadence.) y of 1074.7nm and 1079.8nm lines with a few minutes or longer cadence.) itokes I, Q, U, V; Provides LOS, field strength, and POS field azimuth and polarization) es for above recipes no, or all three available lines for any recipe (except density, which uses 1074.7 & 1079.8 by default).
Pre-defined Recip Doppler (Intensi Alfven Waves (I, Density (Intensi Total Field (Full S Choose desired lin FeXIII 1074.7nm FeXIII 1079.8nm He-I 1083.0nm You may select one, tw Custom campaign	expression with cadence as short as two seconds.) Q, U with 30 seconds or longer cadence.) y of 1074.7nm and 1079.8nm lines with a few minutes or longer cadence.) tokes I, Q, U, V; Provides LOS, field strength, and POS field azimuth and polarization) es for above recipes to, or all three available lines for any recipe (except density, which uses 1074.7 & 1079.8 by default).
Pre-defined Recip Doppler (Intensi Alfven Waves (I, Density (Intensi Total Field (Full S Choose desired lin FeXIII 1074.7nm FeXIII 1079.8nm He-I 1083.0nm You may select one, tw Custom campaign	Providents with cadence as short as two seconds.) Q, U with 30 seconds or longer cadence.) y of 1074.7nm and 1079.8nm lines with a few minutes or longer cadence.) itokes I, Q, U, V; Provides LOS, field strength, and POS field azimuth and polarization) es for above recipes ro, or all three available lines for any recipe (except density, which uses 1074.7 & 1079.8 by default).



Chro-Mag at Mesa Lab

COSMO Chro-Mag (prototype)

Science Goal: Understand how the chromospheric magnetic field and plasma interactions drive the dynamics of prominences and filaments and other chromospheric structures.

Provides synoptic full-disk imaging spectro-polarimetry:

- He I 587.6 & 1083.0 nm: chromospheric magnetograms
- H α 656.3 nm: chromospheric structure and dynamics
- Ca II 854.2 nm: chromospheric magnetograms
- Fe I 617.3 nm: photospheric magnetograms
- High cadence: < 1 minute for all lines
- Moderate spatial resolution: 2.2 arcsec (1.1 arcsec pixels)
- Moderate but sufficient spectral resolution: > 30000
- Field of view: 2.4 Rsun square
- High polarimetric sensitivity: SNR > 103

MLSO Metrics: Registered Users

through Jan 19, 2014

MAUNA LOA REGISTERED USERS



MLSO Metrics: Data Holdings





MLSO Metrics: Publications



MLSO Metrics: Publications

through Jan 19, 2014

2014

9 papers to date: 5 CoMP, 2 Mk4, 2 PICS H-alpha, 1 PSPT [1 paper used Mk4 and Halpha)

2013

38 papers to date: 16 CoMP, 16 Mk4/Mk3; 5 PICS Halpha; 1 PSPT, 1 CHIP, 1 K-Cor [2 papers used more than one data set]

Usually takes a few years to find most publications in a given year

MLSO Staff and Facility

2 new casual observers (each work less than ½ time)



(Casual) Lisa Waters



Greg Rose (Casual)





Allen Stueben

Ben Berkey

Boulder-side Staff

MLSO Data Pipeline Programmer Leonard Sitongia retired end of 2013. Giuliana deToma and I are doing Leonard's job. We have completed interviews for new hire and should have someone in the position soon. Giuliana will continue working on event listings and take on Data Scientist quality control responsibilities.



Leonard Sitongia





Giuliana deToma

Leonard's replacement

MLSO Staff and Facility

MLSO infrastructure improvements include:



UCAR put in new stairs



UCAR repaired roof (it no longer leaks onto PSPT equipment!)



UCAR replaced structure holding up 'doghouse



NOAA paved the road

UCAR has stepped up and is providing major repair funds to the building. Additional work to be completed in 2014 includes:

- Assembly and installation of new dome purchased by HAO
- Removal of asbestos floor tiles
- New floor in control room
- New windows in dome
- Repair wooden boardwalk
- Repair wooden porch
- Replace electrical conduit
- Repair water damage
- UCAR to begin paying for internet with increased speed to 100 Mbps (from 25)

Recent Post-Docs who have worked with CoMP observations

- Joseph Plowman
- Hui Tian (now at CfA)
- Christian Bethge (now at Kiepenheuer Institute)
- Laurel Rachmeler (now at Royal Observatory of Belgium)

Young Instrument Scientists

- Alfred DeWijn (Dkist VISP, K-Cor, Chro-Mag)
- Junfeng Hou (K-Cor modulator) from National Astronomical Observatories of Chinese Academy

SOLIS

NSO will move the SOLIS instrument suite from its current location on top of a ~100 tower at Kitt Peak to Tucson, AZ. The system is being automated and configured to consolidate instrumentation, control electronics, and on site computing. Attached image is a conceptual drawing of the proposed upgrade to take place summer 2014. Telescope building has already been ordered and the laboratory space for the ISS instrument, computers, and control electronics is in the process of final modifications.



SOLIS will move in ~2015. Request for information will be solicited later this year. Most likely sites are:

Haleakala, Mauna Loa and Big Bear

Low-L Pointing Platform at MLSO

Low-L was decommissioned many years ago. Infrastructure includes a solar-pointing system atop a concrete pad behind MLSO. Is anyone in community interested in using the platform? Proposed instruments need to comparable size to Low-L to avoid conflicts with MLSO instruments. No refridgerants are allowed at the site (NOAA rule).

