tiegcm1.94 Documentation

Release 1.94

Ben Foster

May 24, 2011

CONTENTS

1	Rele	ase Notes for TIEGCM v1.94
	1.1	New validated features in the public release:
	1.2	New Build System (scripts/ directory):
	1.3	Utilities (scripts/ directory):
	1.4	Validation and Benchmark Runs (tests/ directory):
	1.5	Changes to namelist inputs:
	1.6	Changes in the documentation directory doc/:
	1.7	Bug Fixes:
	1.8	Other:
2	Benchmark Runs made with TIEGCM v1.94	
3	J Indices and tables	

HAO is pleased to announce the release of version 1.94 of the Thermosphere Ionosphere Electrodynamics General Circulation Model (TIEGCM).

Contents:

RELEASE NOTES FOR TIEGCM V1.94

1.1 New validated features in the public release:

- Weimer 2005 electric potential model, optionally with IMF data.
- Dynamic critical cross-over latitudes for transition between dynamo and empirical models at high-latitude.
- New diagnostics module (diags.F). 22 "sanctioned" diagnostic fields are available, and can be saved on secondary histories (see diags.table in doc directory).
- HPSS archive script can be saved by the model, to be executed after a run to save history files to the NCAR HPSS with "contents" annotations.

1.2 New Build System (scripts/ directory):

- Make.machine files containing platform and machine-specific compiler and link options, library locations, etc. are available in scripts directory.
- New simplified Makefile without platform-dependent conditionals.
- Support for Intel ifort/mpif90 compiler on 64-bit HAO Linux systems (Intel-built code is significantly faster than PGI-built code on systems with Intel hardware)
- Write synversion to history files.

1.3 Utilities (scripts/ directory):

- tgcm_contents: Print "contents" (annotations) of history files
- tgcm_ncdump: Print ncdump of history files, with data for scalars and 1d vectors
- tgcm_put: Archive history files on the NCAR HPSS storage system
- *mknamelist:* Make a namelist input file
- mkjob: Make a job script

1.4 Validation and Benchmark Runs (tests/ directory):

• Namelist input files and job scripts for benchmark runs are available in the tests/ directory.

- Seasonal steady-state source histories are provided for both equinoxes and solstices, at solar minimum and solar maximum conditions.
- The following benchmark runs were made with tiegcm v1.94:
 - Control: 5-day Control Runs are made, starting from the steady-state seasonal source histories.
 - Climatology: Full-year Climatology with constant solar forcing.
 - Dec2006: December, 2006 "AGU" storm case.
 - Nov2003: November 1-6 (days 305-310), 2003 storm case.
 - Whi2008: Whole Heliosphere Interval (WHI), March 21 to April 16, 2008.
- For more detailed information and access to the history files and post-processing, please see *Benchmark/test runs*.

1.5 Changes to namelist inputs:

- Weimer potential model with IMF data from IMF_NCFILE, and F10.7 data from GPI_NCFILE.
- HPSS_PATH specifies destination path to the NCAR HPSS, for history file archive script. (All references to the old NCAR MSS have been removed)
- Time-dependent namelist option for F107a and F107d
- The following namelist parameters are deprecated: SAVE, SECSAVE, DISPOSE

1.6 Changes in the documentation directory doc/:

- All new User's Guide (pdf, html) is now provided in the doc directory.
- Model Description (pdf) also provided in the doc directory.
- README.download: Information and instructions for downloading and executing a default run with the current version.
- Release_Notes: Release notes for the current version.

1.7 Bug Fixes:

- Change nmlon to nlonp1 where defining dynpot, line 292 of magfield.F
- Change op(k,i) to nop(k,i) in calculation of ion chemistry heating (qic). Line 119 of qjion.F

1.8 Other:

- Changed units of f107d, f107a, ctpoten, and hpower on the histories.
- Divide by avogadro's number instead of multiplying by 1.66e-24 in sub calczg (addiag.F).

TWO

BENCHMARK RUNS MADE WITH TIEGCM V1.94

The following benchmark runs were made with version 1.94:

1. **control**: 5-day control runs, started from steady-state histories at both equinoxes and both solstices, and at solar minimum and maximum conditions:

```
mareqx: March Equinox (day 80)
junsol: June Solstice (day 172)
sepeqx: September Equinox (day 264)
decsol: December Solstice (day 355)
```

• Solar Minimum:

POWER = 18. CTPOTEN = 30. F107 = 70. F107A = 70.

- Solar Maximum:
 - POWER = 39. CTPOTEN = 60. F107 = 200. F107A = 200.
- History file output for control runs.
- "Sanity check" plots for control runs (global maps on last day of 5-day run):
- December Solstice, Solar Minimum
- June Solstice, Solar Minimum
- March Equinox, Solar Minimum
- September Equinox, Solar Minimum
- 2. climatology: Full-year Climatology with constant solar forcing:
 - Heelis potential model with constant solar forcing:

POWER = 18. CTPOTEN = 30. F107 = 100. F107A = 100.

- History file output for climatology run.
- "Sanity check" plots for Climatology: TN and NE
- 3. dec2006: December, 2006 "AGU" storm case:
 - Heelis potential model with GPI (Kp) data
 - Weimer potential model with IMF data (F10.7 from GPI)
 - History file output for dec2006 simulation.
 - "Sanity check" plots for dec2006:
 - Heelis/GPI (daily)
 - Heelis/GPI (hourly)
 - Weimer/IMF (daily)
 - Weimer/IMF (hourly)
- 4. nov2003: November 1-6 (days 305-310), 2003 storm case:
 - Heelis potential model with GPI (Kp) data
 - Weimer potential model with IMF data (F10.7 from GPI)
 - History file output for nov2003 simulation.
 - "Sanity check" plots for nov2003:
 - Heelis/GPI (hourly)
 - Weimer/IMF (hourly)
- 5. whi2008: Whole Heliosphere interval (WHI) (March 21 to April 16, 2008)
 - Heelis potential model with GPI (Kp) data
 - Weimer potential model with IMF data (F10.7 from GPI)
 - History file output for whi2008 simulation.
 - "Sanity check" for whi2008: postscript plots of TN and NE.

CHAPTER

THREE

INDICES AND TABLES

- genindex
- modindex
- search